



8755 W. Higgins Road
 Suite 500
 Chicago, Illinois USA 60631

October 17th, 2023

PCN # ESW490-50 – Diode ISOPLUS220 & ISOPLUS264 Packaging Products Alternative Assembly Location

To our valued customers,

Littelfuse wants to inform you that we have an alternative backend assembly site for our Diode products ISOPLUS220 & ISOPLUS264 Package. The new in-house assembly factory is located in Lipa, Philippines. This brand-new assembly factory is to fulfill our strategy to invest in state-of-the-art power semiconductor assembly capabilities to dramatically improve our service levels to customers. Our target is to build this factory as a world-class facility with automated, error-proof processes to meet the highest quality standards. Contact our local Sales team in case you would like to understand more about this new factory.


Below are the detailed changes associated with Littelfuse’s alternative Assembly Site:

- 1) **Silicon Die:** No change
- 2) **Backend Assembly Bill of Materials:** No change
- 3) **Backend Assembly Process Flow:** No change
- 4) **Backend Assembly Equipment:** Equal or better
- 5) **Marking & Labeling:** Yes. Changes pls refer to below details.

ISOPLUS220 Package products:

DESCRIPTION	EXISTING LOCATION	SBU-LIPA	CHANGE (Y/N)	RISK	REMARKS
Unit Marking					
Logo			Y	LOW	Change to Littelfuse Logo
UL Sign	Yes	Yes	N	NR	No change
Trademark Sign	Yes	Yes	N	NR	No change
Product Name	Yes	Yes	N	NR	No change
Date Code	YYWW	YYWW	N	NR	No change
Assembly Line	L	M	Y	LOW	Site location code
Lot ID	FKT #	Lipa Lot ID format	Y	NR	SBU-Lipa uses global format
Tube Label					
Logo			Y	NR	Change to Littelfuse Logo
Qty per tube	Yes	Yes	N	NR	No change
Part Number	Yes	Yes	N	NR	No change
Country of Origin	Yes	Yes	N	NR	No change
Code Type	Barcode	Barcode + 2D Code	Y	LOW	SBU-Lipa uses global format
Lot No	No	Yes	Y	LOW	SBU-Lipa uses global format
Lot ID	FKT #	Lipa Lot ID format	Y	NR	SBU-Lipa uses global format
Date Code	Yes	Yes	N	NR	No change
Assy Line Code	L	M	Y	LOW	Site location code
Box Label					
RoHS Label			Y	LOW	Both have printed RoHS compliance label
Logo			Y	NR	Change to Littelfuse Logo
Qty per Box	Yes	Yes	N	NR	No change
Part Number	Yes	Yes	N	NR	No change
Country of Origin	Yes	Yes	N	NR	No change
Code Type	Barcode	Barcode + 2D Code	Y	LOW	SBU-Lipa uses global format
Lot ID	FKT #	Lipa Lot ID format	Y	NR	SBU-Lipa uses global format
Date Code	Yes	Yes	N	NR	No change
Assy Line Code	L	M	Y	LOW	Site location code
Product code	Yes	No	Y	LOW	SBU-Lipa uses global format

ISOPLUS264 Package products:

DESCRIPTION	EXISTING LOCATION	SBU-LIPA	CHANGE (Y/N)	RISK	REMARKS
Unit Marking					
Logo			Y	NR	Change to Littelfuse Logo
UL Sign	Yes	Yes	N	NR	No change
Product Name	Yes	Yes	N	NR	No change
Date Code	YYWW	YYWW	N	NR	No change
Assembly Line Code	P	M	Y	LOW	Site location code
Lot ID	FKT #	Lipa Lot ID format	N	NR	No Change
Tube Label					
Logo			Y	NR	Change to Littelfuse Logo
Qty per tube	Yes	Yes	N	NR	No change
Part Number	Yes	Yes	N	NR	No change
Country of Origin	Yes	Yes	N	NR	No change
Code Type	Barcode	Barcode + 2D Code	Y	LOW	SBU-Lipa uses global format
Lot No	No	Yes	Y	LOW	Additional information from SBU-Lipa
Lot ID	FKT #	Lipa Lot ID format	Y	NR	SBU-Lipa uses global format
Date Code	Yes	Yes	N	NR	No change
Assy Line Code	P	M	Y	LOW	Site location code
Product code	Yes	No	Y	LOW	SBU-Lipa uses global format
Box Label					
RoHS Label			Y	LOW	Both boxes having the notification of compliance with RoHS
Logo			Y	NR	Change to Littelfuse Logo
Qty per Box	Yes	Yes	N	NR	No change
Part Number	Yes	Yes	N	NR	No change
Country of Origin	Yes	Yes	N	NR	No change
Code Type	Barcode	Barcode + 2D Code	Y	LOW	SBU-Lipa uses global format
Lot ID	FKT #	Lipa Lot ID format	Y	NR	SBU-Lipa uses global format
Date Code	Yes	Yes	N	NR	No change
Assy Line Code	P	M	Y	LOW	Site location code
Product code	Yes	No	Y	LOW	SBU-Lipa uses global format

For both ISOPLUS220 & ISOPLUS264 Package products:

Form, fit, function changes: None
Part number changes: None
Effective date: January 17th, 2024
Replacement products: N/A
Last time buy: N/A

This notification is for your information and acknowledgement. If you have any other questions or concerns, please contact your local sales team or Salvador M. Cortez Jr., Product Marketing Engineer for Power Bipolar Discrete.

We value your business and look forward to assisting you whenever possible.

Thank you very much!

Best Regards,

Salvador M. Cortez Jr.
 Global Product Marketing Engineer
 Power Bipolar Discrete (Thyristor+Diode)
 Littelfuse Asia Sales B.V. PH Branch
 Mobile: +63 977 6296 008
SCortez@littelfuse.com

Littelfuse Phils, Inc. Lipa, Philippines



- Established since November 1997
- New Building 3 be opened in March 2020
- A two stories building (EBU & SBU)
- Total production space ~8400 m²
- 3400 m² used in phase 1
- Dedicated to semiconductor products



Saw, Die Bond, Wirebond, & Assy Line



Mold, Oven, Deflash & Plating



Tester & Handler

PCN Report

Prepared By : Salvador M. Cortez Jr., Product Marketing Engineer
Date : Oct 17th, 2023
Products : Diode ISOPLUS220 & ISOPLUS264 Package Products
Revision : A

1.0 Objective:



This qualification report covers Diode ISOPLUS220 & ISOPLUS264 Package Products Alternative Assembly Location.

2.0 Applicable Products:

Diode ISOPLUS220 & ISOPLUS264 Package Products. Refer to Appendix A for a detailed part number list.

3.0 Physical Differences/Changes:

ISOPLUS264: Small change on Tube but will not affect customer usage. No change for ISOPLUS220.

Point of Comparison	Existing Location	SBU-LIPA	GAP	RISK
Length, mm	529.7 - 532.3	531.0 - 533.0	No gap	No risk
Width, mm	52.3 - 52.9	52.5 - 53.1	Yes	Low risk. Gap is not significant
Height, mm	7.57 - 7.63	7.57 - 7.63	No gap	No risk
Material Thickness, mm	0.77 - 0.83	0.77 - 0.83	No gap	No risk
Tube Opening, mm	6 x 51	6 x 51	No gap	No risk
Quantity	25	25	No gap	No risk
Anti-static	Yes	Yes	No gap	No risk
Design			No gap	No risk

4.0 Electrical Parameter Test Result

Package	Part Number	Blocking Voltage	Reverse Current	Forward Voltage
ISOPLUS220	DPG10P400PJ	Pass	Pass	Pass
ISOPLUS264	DNA120E2200KO	Pass	Pass	Pass



5.0 Qualification Test Result

All samples passed parametric and reliability test standard by Littelfuse/IXYS.

PACKAGE/ DEVICE	REL-TEST	CONDITIONS	SAMPLE SIZE PER LOT	STATUS	E23C9P1	E23C9P2	E23C9P3	RESULT
ISOPLUS220/ DPG10P400PC	HTRB	1000hrs, 320V, DC, 150°C	20	Finished	Passed	Passed	Passed	Completed: Passed reliability
	uHAST	96hrs, 130°C, 85%r.H.	20	Finished	Passed	Passed	Passed	Completed: Passed reliability
	TC	100 cycles, -55/+150°C	20	Finished	Passed	Passed	Passed	Completed: Passed reliability
	P/C	4000 cycles, I=10A DC, P~9W/Chip, T _J =145°C, delta T = 100K, T _H =45- 115°C, t _{on} =90s, t _{off} =130s	20	Finished	Passed	Passed	Passed	Completed: Passed reliability
	ITSM	Datasheet	5	Finished	Passed	Passed	Passed	Completed: Passed reliability

PACKAGE/ DEVICE	REL-TEST	CONDITIONS	SAMPLE SIZE PER LOT	STATUS	E22H31L1	E22H31L2	E22H31L3	RESULT
ISOPLUS264/ DNA120E2200KO	HTRB	1000hrs, 1540V, AC half sine, 150°C	20	Finished	Passed	Passed	Passed	Completed: Passed reliability
	uHAST	96hrs, 130°C, 85%r.H.	20	Finished	Passed	Passed	Passed	Completed: Passed reliability
	TC	100 cycles, -55/+150°C	20	Finished	Passed	Passed	Passed	Completed: Passed reliability
	P/C	4000 cycles	20	Finished	Passed	Passed	Passed	Completed: Passed reliability
	ITSM	Datasheet	5	Finished	Passed	Passed	Passed	Completed: Passed reliability

6.0 Recommendations & Conclusions:

Based on the above qualification tests results, Littelfuse/IXYS has determined that the SBU Lipa Assembly Location meets the release criteria and is ready to start mass production of the affected products.



Appendix A: Detail Part Number list affected

Package Type	SAP Part Number		Package Type	SAP Part Number
ISOPLUS220	DPG10P400PJ		ISOPLUS264	DNA120E2200KO
ISOPLUS220	DPG30P300PJ		ISOPLUS264	DHG40I4500KO
ISOPLUS220	DPG30P400PJ			
ISOPLUS220	DSEC16-06AC			
ISOPLUS220	DSEC29-06AC			
ISOPLUS220	DSEC59-06BC			
ISOPLUS220	DSEE15-12CC			
ISOPLUS220	DSEE29-12CC			