ANALOG Product/Process Change Notice - PCN 24_0140 Rev. -

Analog Devices, Inc. One Analog Way, Wilmington, MA 01887, USA

This notice is to inform you of a change that will be made to certain ADI products (see Appendix A) that you may have purchased in the last 2 years. Any inquiries or requests with this PCN (additional data or samples) must be sent to ADI within 30 days of publication date. ADI contact information is listed below.

PCN Title:	LTM4622A Datasheet Revision	
Publication Date:	29-Jul-2024	
Effectivity Date:	29-Jul-2024 (the earliest date that a customer could expect to receive changed material)	
Revision Description:	Initial Release	

Description Of Change:

Turn on time typical reading changed from 1.25ms to 5.5ms, Track pin soft-start pull-up current changed from 1.25uA to 1.2uA.

Reason For Change:

The datasheet is being updated to accurately reflect device capabilities.

Impact of the change (positive or negative) on fit, form, function & reliability:

The datasheet change does not impact form or reliability.

Summary of Supporting Information:

Changes are reflected in Product Datasheet revision D.

Supporting Documents

Attachment 1: Type: Datasheet Specification Comparison

ADI PCN 24 0140 Rev - ADI PCN 24 0140 LTM4622A Datasheet comparison.pd...

Note: If applicable, the device material declaration will be updated due to material change.

ADI Contact Information:

For questions on this PCN, please send an email to the regional contacts below or contact your local ADI sales representatives.

Americas:	Europe:	Japan:	Korea:	Rest of Asia:
PCN_Americas@analog.com	PCN_Europe@analog.com	PCN_Japan@analog.com	PCN_Korea@analog.com	PCN_ROA@analog.com

Appendix A - Affected ADI Models:					
Added Parts On This Revision - Product Family / Model Number (5)					
LTM4622A/LTM4622AEV#PBF	LTM4622A/LTM4622AEY#PBF	LTM4622A/LTM4622AIV#PBF	LTM4622A / LTM4622AIY	LTM4622A/LTM4622AIY#PBF	

Appendix B - Revision History:			
Rev	Publish Date	Effectivity Date	Rev Description
Rev	29-Jul-2024	29-Jul-2024	Initial Release