

Littelfuse, Inc.  
8755 West Higgins Road, Suite 500  
Chicago, IL 60631 USA  
(773) 628-1000

---

May 24, 2024

## PCN EIC-1134 Moisture Sensitivity Level (MSL) classification change for PBA150S

### Detailed Description of Change

Littelfuse IXYS Integrated Circuits Division (ICD) would like to inform you about the temporary Moisture Sensitivity Level (MSL) classification change for the following devices:

PBA150S
PBA150STR

The Moisture Sensitivity Level (MSL) classification of the PBA150S is being temporarily changed from MSL 1 to MSL 3. This change is a containment action implemented to prevent a potential issue with mechanical stress on bond wires, which may be exacerbated by residual moisture in a minor percentage of PBA150S devices.

MSL3 rating will be maintained until further notice from Littelfuse. There is no need to pre-process any material received earlier than PCN release.

This change is effective immediately and is documented in the recent revision of the product's data sheets which are available online at <https://www.littelfuse.com/>.

The PCN number assigned to this action is **PCN EIC-1134** and must be referenced in any correspondence related to the change.

If you have any other questions or concerns, please contact your local Littelfuse sales representative or Product Manager below for further assistance.

Juste Valentiniene  
Product Manager  
Solid State Relays (SSR)  
Tel: +370 (612) 49707  
[jvalentiniene@littelfuse.com](mailto:jvalentiniene@littelfuse.com)